

Cruiser Circular



PRODUCT DESCRIPTION

The CRUISER CIRCULAR is designed to offer maximum efficiency using the latest Samsung LED chip technology with an impressive output of up to 142 LI/cW and 3000 delivered lumens overall. Sealed to IP65 and constructed from injection moulded polycarbonate, the CRUISER is a compact, robust general purpose amenity luminaire.

The translucent diffuser maximises light transmission while eliminating harsh contrast and providing soft, low glare optimised illuminance.

White as standard, a black body is also available as an option.

Available options include: DALI control gear, corridor function and a range of integral microwave sensors. The CRUISER is ideal for stairwells, storage & amenity areas, small plant rooms and general internal and external multi-purpose areas.

FEATURES

- Ingress Protection
- Colour Temperature
- Impact Protection
- White

DIMENSIONS



	mm
H	92
L	330
W	330
KG	2
KG (Em)	3

PRODUCT DATA

CRUISER CIRCULAR					
Product code	Curcuit Watts (w)	Delivered Lumens	Colour Temp	Efficacy LI/cW	Em Lumens
430.1500.840	12	1500	4000	125	380
430.2000.840	14	2000	4000	142	380
430.2600.840	19	2600	4000	136	380
430.3000.840	22	3000	4000	136	380

PRODUCT OPTIONS


- Correlated colour temp suffix .830
- 3hr Emergency suffix .EM3
- Microwave Occupancy Detection suffix .S3
- Black Finish Available suffix .B
- Correlated colour temp suffix .857
- Dali suffix .D1
- Microwave Occupancy Detection with corridor function suffix .S4
- Building Information modelling (Please Download from our website)
- Correlated colour temp suffix .TW
- Emergency Dali suffix .EMD3
- Emergency Self Test suffix .EMST3

LED PERFORMANCE

25° Ambient Temperature	L70/B50	L80/B50
CRUISER CIRCULAR	50,000	50,000

'L' Value = % of initial Lumens maintained after specified time
'B' Value = % of fittings falling to meet operational expectations after specified time

PHOTOMETRIC PERFORMANCE



- CRUISER CIRCULAR
- Output - 2600
- 19W
- LOR - 100%
- SHR MAX = 1.5:1 (ceiling mounted)